

Sequence to Sequence (seq2seq) + Attention

Ling 282/482: Deep Learning for Computational Linguistics

C.M. Downey

Fall 2024


seq2seq: Overview

Sequence to sequence problems


- Many NLP tasks can be construed as **sequence-to-sequence** problems
 - Machine translations: sequence of source lang tokens to sequence of target lang tokens
 - Parsing: “Shane talks.” —> “(S (NP (N Shane)) (VP V talks))”
 - Incl semantic parsing
 - Summarization
- Not the same as *tagging*, which assigns a label to each position in a given sequence

Seq2seq vs Tagging


many to many



many to many




seq2seq architecture [e.g. NMT]





seq2seq architecture

- Two components:
 - Encoder
 - Input sequence \rightarrow vector representation (“context” vector)
 - Decoder
 - Vector (“context” vector) \rightarrow Output sequence
- High-level “API”
 - Encoder/decoder can be different architectures (LSTM, GRU, Transformer, convolutional, ...)


Training an encoder-decoder RNN



seq2seq initial results



Inference / Generation



Seq2seq interim summary

- Effectively, a seq2seq model is a **conditional** language model: the same kind of language model that we have seen, but conditioned on the context of the input sequence

$$P(y \mid x) = \prod_{i=1}^{|y|} P(y_i \mid x, y_{<i})$$

NMT Evaluation

- “Ideal”: human evaluation (fluency, adequacy, ranking)
- BLEU (BiLingual Evaluation Understudy): roughly, n-gram overlap between reference translations and machine translations
 - Penalizes synonymous translations
 - METEOR, BERTScore attempt to alleviate
 - Low correlation with human ratings
- chrF++
 - Refinement of *character* n-gram F1 score
 - Seems to have better correlations
- In general: still no perfect solution

Source

la verdad, cuya madre es la historia, émula del tiempo, depósito de las acciones, testigo de lo pasado, ejemplo y aviso de lo presente, advertencia de lo por venir.

Reference

truth, whose mother is history, rival of time, storehouse of deeds, witness for the past, example and counsel for the present, and warning for the future.

Candidate 1

truth, whose mother is history, voice of time, deposit of actions, witness for the past, example and warning for the present, and warning for the future

Candidate 2

the truth, which mother is the history, émula of the time, deposition of the shares, witness of the past, example and notice of the present, warning of it for coming

JM S11.8

Outstanding Issues in NMT

- Evaluation: automated metrics are all flawed
 - “Tangled Up in BLEU”
- Low-resource / unsupervised MT
 - Can we build good translation models in the absence of huge amounts of parallel text?
 - Common technique: *backtranslation*
 - http://www.statmt.org/wmt20/unsup_and_very_low_res/
 - <http://turing.iimas.unam.mx/americasnlp/st.html>
 - <https://www.aclweb.org/anthology/2020.acl-main.560/>

Statistical Machine Translation: Alignment

Statistical Machine Translation (90s-2010s)

- Goal: find best translation y (e.g. English) of source sentence x (e.g. French)

$$\arg \max_y P(y | x)$$

- Use Bayes to decompose into two components:

$$\arg \max_y P(x | y)P(y)$$

- Core translation model $P(x|y)$
- Language model $P(y)$: produce good / fluent target language text (e.g. English)

Alignment


- Most SMT systems factored through an *alignment*
 - Correspondence between words/phrases in source and target sentence
 - Typologically different languages have, e.g., very different word order (see JM 11.1 for more examples)
- Add alignment as a latent variable:

$$P(x, a \mid y)$$

Alignment, example



Ceci n' est pas une pipe



This is not a pipe

	Ceci n' est pas une pipe					
This						
is						
not						
a						
pipe						

SMT Difficulties


- Features for alignment:
 - Probability of particular pairs aligning (lexicon / bilingual dictionary)
 - Probability of a word aligning to a phrase (in general)
- More generally:
 - Huge amounts of feature engineering
 - Reliance on human curated resources like dictionaries
 - Most of the above are *language-pair-specific*, have to be repeated
- NMT was one of the first major success stories of neural methods in NLP:
 - End-to-end systems, “language-agnostic” models, equal/better performance

Attention

seq2seq architecture: problem

Decoder can only see info in this one

Mooney 2014: “You can't cram the meaning of a whole %&!\$# sentence into a single \$&!\$#* vector!”



NEURAL MACHINE TRANSLATION BY JOINTLY LEARNING TO ALIGN AND TRANSLATE

Dzmitry Bahdanau

Jacobs University Bremen, Germany

KyungHyun Cho Yoshua Bengio*


Université de Montréal

ABSTRACT

Neural machine translation is a recently proposed approach to machine translation. Unlike the traditional statistical machine translation, the neural machine translation aims at building a single neural network that can be jointly tuned to maximize the translation performance. The models proposed recently for neural machine translation often belong to a family of encoder–decoders and encode a source sentence into a fixed-length vector from which a decoder generates a translation. In this paper, we conjecture that the use of a fixed-length vector is a bottleneck in improving the performance of this basic encoder–decoder architecture, and propose to extend this by allowing a model to automatically (soft-)search for parts of a source sentence that are relevant to predicting a target word, without having to form these parts as a hard segment explicitly. With this new approach, we achieve a translation performance comparable to the existing state-of-the-art phrase-based system on the task of English-to-French translation. Furthermore, qualitative analysis reveals that the (soft-)alignments found by the model agree well with our intuition.

[source](#)

Adding Attention



[Badhanau et al 2014](#)
[Luong et al 2015](#)

Attention, Generally

- A query q pays attention to some values $\{v_k\}$ based on similarity with some keys $\{k_v\}$.
- Dot-product attention:

$$\alpha_j = q \cdot k_j$$


$$e_j = e^{\alpha_j} / \sum_j e^{\alpha_j}$$

$$c = \sum_j e_j v_j$$

- In the previous example: encoder hidden states played *both* the keys and the values roles.

Why attention?

- Incredibly useful (for performance)
 - By “solving” the bottleneck issue
- Aids interpretability (maybe)
- A general technique for combining representations, applications in:
 - NMT, parsing, image/video captioning, ..., everything
- Conceptually, let the model *learn to align* representations
 - “Soft” alignment, just like gates = “soft” masks



[Vinyals et al 2015](#)

Next Time

- Introduction to the *Transformer* architecture

- Hint:

Attention Is All You Need

Ashish Vaswani*
Google Brain
avaswani@google.com

Noam Shazeer*
Google Brain
noam@google.com

Niki Parmar*
Google Research
nikip@google.com

Jakob Uszkoreit*
Google Research
usz@google.com

Llion Jones*
Google Research
llion@google.com

Aidan N. Gomez* †
University of Toronto
aidan@cs.toronto.edu

Łukasz Kaiser*
Google Brain
lukaszkaizer@google.com

Illia Polosukhin* †
illia.polosukhin@gmail.com

Abstract

The dominant sequence transduction models are based on complex recurrent or convolutional neural networks that include an encoder and a decoder. The best performing models also connect the encoder and decoder through an attention mechanism. We propose a new simple network architecture, the Transformer, based solely on attention mechanisms, dispensing with recurrence and convolutions entirely. Experiments on two machine translation tasks show these models to be superior in quality while being more parallelizable and requiring significantly